AUNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

UNIVERSAL Chemical Trading GmbH

Chemwatch: 63-1481 Version No: 12.1

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 23/12/2022 Print Date: 03/11/2023 L.GHS.AUS.EN.E

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Coating and sealing agent.

Details of the manufacturer or supplier of the safety data sheet

Registered company name	UNIVERSAL Chemical Trading GmbH
Address	Waldweg 4 Dollern 21739, Germany
Telephone	+49-1521-859-2917
Fax	+49-1521-859-2917
Website	https://uctr-gmbh.de
Email	info@uctr-gmbh.de

Emergency telephone number

Association / Organisation	UNIVERSAL Chemical Trading GmbH
Emergency telephone numbers	+49-1521-859-2917
Other emergency telephone	
numbers	Not Available

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S5
Classification [1]	Acute Toxicity (Oral) Category 4, Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)





Signal word

Hazard statement(s)	
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If more than 15 mins from Doctor, INDUCE VOMITING (if conscious).	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].	

Chemwatch: **63-1481** Page **2** of **7** Issue Date: **23/12/2022**

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

Version No: 12.1 Silicate Solution Print Date: 03/11/2023

Precautionary statement(s) Storage

P405

Store locked up

Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1344-09-8	33-45	sodium metasilicate
7732-18-5	remainder	water
Legend:	Classified by Chemwatch; 2. Classification drawn from HClS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available	

SECTION 4 First aid measures

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short-term repeated exposures to highly alkaline materials:

- ▶ Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- ▶ Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- ▶ The presence of shock suggests perforation and mandates an intravenous line and fluid administration.

Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.

Alkalis continue to cause damage after exposure.

INGESTION:

Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.
- * Activated charcoal does not absorb alkali.
 * Gastric lavage should not be used.
- Supportive care involves the following:
- Withhold oral feedings initially.
- ▶ If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

- ▶ Injury should be irrigated for 20-30 minutes.
- Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Version No: 12.1

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

Print Date: 03/11/2023

Issue Date: 23/12/2022

Advice for firefighters Alert Fire Brigade and tell them location and nature of hazard. Fire Fighting Wear breathing apparatus plus protective gloves in the event of a fire. Non combustible. Not considered a significant fire risk, however containers may burn. Fire/Explosion Hazard Decomposes on heating and produces toxic fumes of: silicon dioxide (SiO2) May emit poisonous fumes.

SECTION 6 Accidental release measures

HAZCHEM

Personal precautions, protective equipment and emergency procedures

May emit corrosive fumes.

Not Applicable

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Fire Incompatibility None known.

Minor Spills	Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes.
Major Spills	Moderate hazard. * Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. DO NOT allow clothing wet with material to stay in contact with skin
Other information	DO NOT store near acids, or oxidising agents

Conditions for safe storage, including any incompatibilities

3.,		
Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. 	
Storage incompatibility	 For storage, no aluminium, light alloy, galvanised steel and glass receptacles or pipes should be used. On contact with aluminium or light alloys hydrogen gas may be evolved. Avoid oxidising agents, acids, acid chlorides, acid anhydrides, chloroformates. Avoid contact with copper, aluminium and their alloys. 	

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Not Available

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
sodium metasilicate	5.9 mg/m3	65 mg/m3		390 mg/m3
Ingredient	Original IDLH		Revised IDLH	
sodium metasilicate	Not Available		Not Available	
water	Not Available		Not Available	


Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit	
sodium metasilicate	E	≤ 0.01 mg/m³	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the		
	adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds		
	to a range of exposure concentrations that are expected to protect worker health.		

MATERIAL DATA

Exposure controls	
Appropriate engineering	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly
controls	effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Individual protection	
measures, such as personal	
protective equipment	

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution



Respiratory protection

Version No: 12.1

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Appearance	Clear to cloudy white viscous liquid; mixes with water.			
Appearance	Olear to cloudy write viscous liquid, mixes with water.			
Physical state	Liquid	Relative density (Water = 1)	1.3-1.5	
Odour	Not Available	Partition coefficient n- octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available	
pH (as supplied)	11-13	Decomposition temperature (°C)	Not Available	
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Available	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Available	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water	Miscible	pH as a solution (1%)	Not Available	
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available	

SECTION 10 Stability and reactivity

Reactivity	See section 7	
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. 	
Possibility of hazardous	See section 7	
reactions	See Section /	
Conditions to avoid	See section 7	
Incompatible materials	See section 7	
Hazardous decomposition	See section 5	
products	See section 3	

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Not normally a hazard due to non-volatile nature of product Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation. In contrast to most organs, the lung is able to respond to a chemical insult by first removing or neutralising the irritant and then repairing the damage.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion.
Skin Contact	The material can produce chemical burns following direct contact with the skin. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream through, for example, cuts, abrasions, puncture wounds or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	The material can produce chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating.

Print Date: 03/11/2023

Version No: 12.1

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

Issue Date: **23/12/2022**Print Date: **03/11/2023**

When applied to the eye(s) of animals, the material produces severe ocular lesions which are present twenty-four hours or more after instillation. Alkaline salts may be intensely irritating to the eyes and precautions should be taken to ensure direct eye contact is avoided. Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Limited evidence suggests that repeated or long-term occupational exposure may produce cumulative health effects involving organs or biochemical Chronic Repeated exposure to synthetic amorphous silicas may produce skin dryness and cracking. Available data confirm the absence of significant toxicity by oral and dermal routes of exposure. **UNIVERSAL Chemical** TOXICITY IRRITATION **Trading GmbH Chemicals** Not Available Not Available Sodium Silicate Solution TOXICITY IRRITATION dermal (rat) LD50: >5000 mg/kg^[1] Skin (human): 250 mg/24h SEVERE Inhalation(Rat) LC50: >2.06 mg/l4h^[1] Skin (rabbit): 250 mg/24h SEVERE sodium metasilicate Oral (Rat) LD50: 1153 mg/kg^{2} TOXICITY IRRITATION Oral (Rat) LD50: >90000 mg/kg^[2] water Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Leaend: The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis The material may cause skin irritation after prolonged or repeated exposure and may produce a contact dermatitis (nonallergic). This form of dermatitis is SODIUM METASILICATE often characterised by skin redness (erythema) and swelling epidermis. Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. WATER No significant acute toxicological data identified in literature search. **Acute Toxicity** Carcinogenicity Skin Irritation/Corrosion v Reproductivity × Serious Eye v STOT - Single Exposure × Damage/Irritation Respiratory or Skin STOT - Repeated Exposure × × sensitisation Mutagenicity **Aspiration Hazard**

Legend:

X – Data either not available or does not fill the criteria for classification

💞 – Data available to make classification

SECTION 12 Ecological information

Toxicity

UNIVERSAL Chemical	Endpoint	Test Duration (hr)	Species	Value	Source
Trading GmbH Chemicals Sodium Silicate Solution	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Sourc
	EC50	72h	Algae or other aquatic plants	207mg/l	2
	EC50	48h	Crustacea	0.28- 0.57mg/l	4
sodium metasilicate	LC50	96h	Fish	260- 310mg/l	2
	EC50(ECx)	48h	Crustacea	0.28- 0.57mg/l	4
	Endpoint	Test Duration (hr)	Species	Value	Source
	Not			Not	Not
water	Available	Not Available	Not Available	Available	Available
water Legend:	Extracted from		Not Available A Registered Substances - Ecotoxicological Information - A azard Assessment Data 6. NITE (Japan) - Bioconcentratic	Aquatic Toxicity 4. US EPA,	

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

			Continued
Ingredient	Bioaccumulation		
bioaccumulative potential			

Chemwatch: **63-1481** Page **6** of **7** Issue Date: **23/12/2022**

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

Ingredient
Bioaccumulation
No Data available for all ingredients

Mobility in soil
Ingredient
Mobility
Ingredient
No Data available for all ingredients
Mobility
Mobi

SECTION 13 Disposal considerations

Waste treatment methods

Version No: 12.1

- Containers may still present a chemical hazard/ danger when empty.
- Return to supplier for reuse/ recycling if possible.

Legislation addressing waste disposal requirements may differ by country, state and/or territory. Each user must refer to laws operating in their area.

Product / Packaging disposal

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sodium metasilicate	Not Available
water	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sodium metasilicate	Not Available
water	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

sodium metasilicate is found on the following regulatory lists

 $\label{thm:condition} \textbf{German Hazardous Chemical Information System (HCIS) - Hazardous Chemicals}$

 $\label{thm:constraints} \textbf{German Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5}$

German Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

German Inventory of Industrial Chemicals (AIIC)

water is found on the following regulatory lists

Germanyn Inventory of Industrial Chemicals (AIIC)

National Inventory Status

National Inventory	Status			
Germany - GIIC / German Non- Industrial Use	Yes			
Canada - DSL	Yes			
Canada - NDSL	No (sodium metasilicate; water)			
China - IECSC	Yes			
Europe - EINEC / ELINCS / NLP	Yes			
Japan - ENCS	Yes			
Korea - KECI	Yes			
New Zealand - NZIoC	Yes			
Philippines - PICCS	Yes			
USA - TSCA	Yes			
Taiwan - TCSI	Yes			

Print Date: 03/11/2023

Chemwatch: **63-1481** Page **7** of **7** Issue Date: **23/12/2022**

UNIVERSAL Chemical Trading GmbH Chemicals Sodium Silicate Solution

 National Inventory
 Status

 Mexico - INSQ
 Yes

 Vietnam - NCI
 Yes

 Russia - FBEPH
 Yes

 Legend:
 Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	23/12/2022
Initial Date	01/06/2016

SDS Version Summary

Version No: 12.1

Version	Date of Update	Sections Updated
11.1	30/12/2020	Classification change due to full database hazard calculation/update.
12.1	23/12/2022	Classification review due to GHS Revision change.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

- ▶ PC—TWA: Permissible Concentration-Time Weighted Average
- ▶ PC—STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit.
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ▶ ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- ► TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration FactorsBEI: Biological Exposure Index
- DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- ▶ GIIC: German Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- ▶ EINECS: European INventory of Existing Commercial chemical Substances
- ▶ ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ▶ ENCS: Existing and New Chemical Substances Inventory
- ► KECI: Korea Existing Chemicals Inventory
- ▶ NZIoC: New Zealand Inventory of Chemicals
- ▶ PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- TCSI: Taiwan Chemical Substance Inventory
- ▶ INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory
- ▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

Print Date: 03/11/2023