# UNIVERSAL Chemical Trading GmbH Sulphuric Acid 60% UNIVERSAL Chemical Trading GmbH

Chemwatch: **70-1699** Version No: **5.1** 

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Chemwatch Hazard Alert Code: 4

Issue Date: 23/12/2022 Print Date: 20/11/2023 L.GHS.AUS.EN.E

#### SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier		
Product name	UNIVERSAL Chemical Trading GmbH Sulphuric Acid 60%	
Chemical Name	Not Applicable	
Synonyms	Not Available	
Proper shipping name	SULPHURIC ACID with more than 51% acid	
Chemical formula	Not Applicable	
Other means of identification	Not Available	
Relevant identified uses of the substance or mixture and uses advised against		
Relevant identified uses	Use according to manufacturer's directions.	
Details of the manufacturer or supplier of the safety data sheet		
Registered company name	UNIVERSAL Chemical Trading GmbH	

Registered company name	UNIVERSAL Chemical Trading GmbH
Address	Waldweg 4 Dollern 21739, Germany
Telephone	+49-1521-859-2917
Fax	+49-1521-859-2917
Website	https://uctr-qmbh.de
Email	info@uctr-qmbh.de

#### Emergency telephone number

Association / Organisation	UNIVERSAL Chemical Trading GmbH
Emergency telephone	+49-1521-859-2917
numbers	T45-1321-035-2317
Other emergency telephone	May Available
numbers	Not Available

#### **SECTION 2 Hazards identification**

#### Classification of the substance or mixture

# HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S6
Classification [1]	Skin Corrosion/Irritation Category 1A, Serious Eye Damage/Eye Irritation Category 1
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

# Label elements

Hazard pictogram(s)



Signal word Da

Danger

#### Hazard statement(s)

H314 Causes severe skin burns and eye damage.

### Supplementary statement(s)

Not Applicable

# Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.
P264	Wash all exposed external body areas thoroughly after handling.

 Chemwatch: 70-1699
 Page 2 of 9
 Issue Date: 23/12/2022

 Version No: 5.1
 Print Date: 20/11/2023

UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

#### Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

#### Precautionary statement(s) Storage

P405 Store locked up.
-----------------------

#### Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

# **SECTION 3 Composition / information on ingredients**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
7664-93-9	60	sulfuric acid
7732-18-5	40	<u>water</u>
Legend:	Classified by Chemwatch; 2. Classification drawn from HCIS; 3. C. 4. Classification drawn from C&L * EU IOELVs available	lassification drawn from Regulation (EU) No 1272/2008 - Annex VI;

#### **SECTION 4 First aid measures**

Description of first aid measure	es
Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Immediately flush body and clothes with large amounts of water, using safety shower if available.  Quickly remove all contaminated clothing, including footwear.  Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.  Transport to hospital, or doctor.
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained Perform CPR if necessary.</li> <li>Transport to hospital, or doctor.</li> <li>Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema.</li> <li>Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).</li> <li>As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested.</li> <li>Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered.</li> <li>This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)</li> </ul>
Ingestion	<ul> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Transport to hospital or doctor without delay.</li> </ul>

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.

Some authors suggest the use of lavage within 1 hour of ingestion.

### SKIN:

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE

Chemwatch: 70-1699 Page 3 of 9 Version No: 5.1

#### UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: 23/12/2022 Print Date: 20/11/2023

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- ▶ Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

#### **SECTION 5 Firefighting measures**

#### **Extinguishing media**

- Water spray or fog.
- Foam.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> </ul>
Fire/Explosion Hazard	Non combustible. Not considered to be a significant fire risk. Decomposition may produce toxic fumes of: sulfur oxides (SOx)
HAZCHEM	2P

#### **SECTION 6 Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

See section 8

#### **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.</li> <li>Check regularly for spills and leaks.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 Handling and storage**

Precautions for safe handling	
Safe handling	<ul> <li>DO NOT allow clothing wet with material to stay in contact with skin</li> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> </ul>

Conditions for safe storage, inc	cluding any incompatibilities
Suitable container	<ul> <li>DO NOT use aluminium or galvanised containers</li> <li>Check regularly for spills and leaks</li> <li>Lined metal can, lined metal pail/ can.</li> <li>Plastic pail.</li> <li>For low viscosity materials</li> <li>Drums and jerricans must be of the non-removable head type.</li> <li>Where a can is to be used as an inner package, the can must have a screwed enclosure.</li> </ul>
Storage incompatibility	<ul> <li>Inorganic acids are generally soluble in water with the release of hydrogen ions. The resulting solutions have pH's of less than 7.0.</li> <li>Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air.         Avoid any contamination of this material as it is very reactive and any contamination is potentially hazardous</li> <li>Sulfuric acid:         <ul> <li>is a strong oxidiser</li> <li>reacts with water or steam</li> </ul> </li> <li>reacts violently with many substances including reducing agents, combustible materials, organic substances, alkalis, ammonium tetraperoxochromate, aniline, 1,2-ethanediamine, ethanolamine, isoprene, mesityl oxide, endonorbanecarboxylic acid ethyl ester, perchlorates, sodium carbonate, zinc chlorate</li> <li>reacts, possibly causing ignition or explosion, with many substances, including non-oxidising mineral acids, organic acids, bases, reducing agents, acetic anhydride, acetone cyanohydrin, acetonitrile, acrolein, acrylates, acrylonitrile, alcohols, aldehydes, alkylene oxides, allyl alcohol, allyl chloride, substituted allyls, 2-aminoethanol, ammonium hydroxide, bromine pentafluoride, n-butyraldehyde, caprolactam solution, carbides, caesium acetylene carbide, chlorine trifluoride, chlorates, chlorosulfonic acid, cresols, cuprous nitride, diisobutylene, ethylene cyanohydrin, ethylene diamine, ethylene glycol, ethyleneimine, fulminates, glycols, hydrochloric acid, iodine heatafluoride, iron.</li> </ul>

Version No: **5.1** 

### UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: **23/12/2022**Print Date: **20/11/2023** 

isocyanates, ketones, lithium silicide, mercuric nitride, 2-methyllactonitrile, powdered metals, nitric acid, p-nitrotoluene, pentasilver trihydroxydiaminophosphate, perchloric acid, phenols, phosphorus, picrates, potassium chlorate, potassium permanganate, beta-propiolactone, propylene oxide, pyridine, rubidium acetylene, silver permanganate, sodium, sodium chlorate, sodium hydroxide, styrene monomer, zinc phosphide

- b increases the explosive sensitivity of nitromethane
- incompatible with 2-amino-5-nitrothiazole, 2-aminothiazole, ammonia, aliphatic amines, alkanolamines, amides, organic anhydrides, isocyanate, vinyl acetate, alkylene oxides, epichlorohydrin
- attacks some plastics, rubber and coatings
- reacts with metals to produce flammable hydrogen gas

#### SECTION 8 Exposure controls / personal protection

#### **Control parameters**

Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
German Exposure Standards	sulfuric acid	Sulphuric acid	1 mg/m3	3 mg/m3	Not Available	Not Available

# Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
sulfuric acid	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
Ingredient sulfuric acid	Original IDLH 15 mg/m3		Revised IDLH  Not Available	

#### MATERIAL DATA

#### **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Individual protection measures, such as personal protective equipment	
Eye and face protection	<ul> <li>Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.</li> <li>Chemical goggles.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Elbow length PVC gloves</li> <li>When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> </ul>
Body protection	See Other protection below
Other protection	Overalls.     PVC Apron.

#### Respiratory protection

Type E-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

#### **SECTION 9 Physical and chemical properties**

#### Information on basic physical and chemical properties

illiorillation on basic physical a	na chemical properties		
Appearance	Highly acidic liquid; mixes with water.		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<1	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available

# Page 5 of 9 UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: 23/12/2022 Print Date: 20/11/2023

Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Applicable

# **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 Toxicological information**

Information	Λn	tovico	Ionical	offorte

Information on toxicological eff	ects	
Inhaled	Acidic corrosives produce respiratory tract irritation with coughing, chok include dizziness, headache, nausea and weakness.  Exposure to high concentrations causes bronchitis and is characterised	
Ingestion	Ingestion of acidic corrosives may produce circumoral burns with a disti and oesophagus. Immediate pain and difficulties in swallowing and spe	,
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these formation of scar tissue.  Open cuts, abraded or irritated skin should not be exposed to this mate Entry into the blood-stream through, for example, cuts, abrasions, punc Examine the skin prior to the use of the material and ensure that any expenses.	rial ture wounds or lesions, may produce systemic injury with harmful effects.
Еуе	When applied to the eye(s) of animals, the material produces severe or instillation. Direct eye contact with acid corrosives may produce pain, la generally recover rapidly and completely.	
Chronic	Repeated or prolonged exposure to acids may result in the erosion of to necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequen Limited evidence suggests that repeated or long-term occupational expor	t attacks of bronchial pneumonia may ensue.
UNIVERSAL Chemical Trading	TOXICITY	IRRITATION
GmbH Chemical	Not Available	Not Available
_		

JNIVERSAL Chemical Trading	TOXICITY	IRRITATION	
GmbH Chemical	Not Available	Not Available	
s Sulphuric	TOXICITY	IRRITATION	
Acid 60%	Inhalation(Mouse) LC50; 0.85 mg/l4h <sup>[1]</sup>	Eye (rabbit): 1.38 mg SEVERE	
	Oral (Rat) LD50: 2140 mg/kg <sup>[2]</sup>	Eye (rabbit): 5 mg/30sec SEVERE	
sulfuric acid	TOXICITY	IRRITATION	
	Oral (Rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available	
water	Value obtained from Europe ECHA Registered Substate     otherwise specified data extracted from RTECS - Regist	nces - Acute toxicity 2. Value obtained from manufacturer's SE er of Toxic Effect of chemical Substances	OS. Unless
Legend:			
	Occupational exposures to strong inorganic acid mists of Asthma-like symptoms may continue for months or even	sulfuric acid: years after exposure to the material ends. This may be due to	a non-allergic cond
SULFURIC ACID	known as reactive airways dysfunction syndrome (RADS	which can occur after exposure to high levels of highly irritating	na compound

#### No significant acute toxicological data identified in literature search. WATER

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	<b>~</b>	Reproductivity	×
Serious Eye Damage/Irritation	<b>~</b>	STOT - Single Exposure	×
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Continued...

# Page 6 of 9 UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: 23/12/2022 Print Date: 20/11/2023

#### **SECTION 12 Ecological information**

#### **Toxicity**

JNIVERSAL Chemical Trading	Endpoint	Test Duration (hr)	Species	Value	Source
GmbH Chemicals Sulphuric Acid 60%	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	72h	Algae or other aquatic plants	>100mg/l	2
sulfuric acid -	EC50	48h	Crustacea	42.5mg/l	1
	ErC50	72h	Algae or other aquatic plants	>100mg/l	2
	LC50	96h	Fish	8mg/l	1
	NOEC(ECx)	1560h	Fish	0.025mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Ecotox databas		CHA Registered Substances - Ecotoxicological Informat C Aquatic Hazard Assessment Data 6. NITE (Japan) - B		

Prevent, by any means available, spillage from entering drains or water courses. **DO NOT** discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation	
	No Data available for all ingredients	

#### Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

### **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.

\* DO NOT allow wash water from cleaning or process equipment to enter drains.

Product / Packaging disposal

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- It may be necessary to collect all wash water for treatment before disposal.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

# **SECTION 14 Transport information**

#### **Labels Required**



Marine Pollutant	NC
HAZCHEM	2P

#### Land transport (ADG)

14.1. UN number or ID number	1830	
14.2. UN proper shipping name	SULPHURIC ACID with	h more than 51% acid
14.3. Transport hazard class(es)	Class Subsidiary Hazard	8 Not Applicable

# Page 7 of 9 UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: 23/12/2022 Print Date: 20/11/2023

14.4. Packing group	II
14.5. Environmental hazard	Not Applicable
14.6. Special precautions for user	Special provisions Not Applicable  Limited quantity 1 L

### Air transport (ICAO-IATA / DGR)

Air transport (ICAO-IATA / DGF	()			
14.1. UN number	1830			
14.2. UN proper shipping name	Sulphuric acid with more than 51%	Sulphuric acid with more than 51% acid		
	ICAO/IATA Class	8		
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable		
nazara siass(ss)	ERG Code	8L		
14.4. Packing group	II .			
14.5. Environmental hazard	Not Applicable			
14.6. Special precautions for user	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		855	
	Cargo Only Maximum Qty / Pack		30 L	
	Passenger and Cargo Packing Instructions		851	
	Passenger and Cargo Maximum Qty / Pack		1 L	
	Passenger and Cargo Limited Quantity Packing Instructions		Y840	
	Passenger and Cargo Limited Maximum Qty / Pack		0.5 L	

#### Sea transport (IMDG-Code / GGVSee)

14.1. UN number	1830			
14.2. UN proper shipping name	SULPHURIC ACID with	SULPHURIC ACID with more than 51% acid		
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Haz	IMDG Class   8     IMDG Subsidiary Hazard   Not Applicable		
14.4. Packing group	П			
14.5 Environmental hazard	Not Applicable			
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	F-A, S-B Not Applicable 1 L		

#### 14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

#### 14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
sulfuric acid	Not Available
water	Not Available

### 14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
sulfuric acid	Not Available
water	Not Available

#### **SECTION 15 Regulatory information**

### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### sulfuric acid is found on the following regulatory lists

German Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

German Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

German Inventory of Industrial Chemicals (GIIC)

Chemical Footprint Project - Chemicals of High Concern List

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 1: Carcinogenic to humans

#### water is found on the following regulatory lists

German Inventory of Industrial Chemicals (AIIC)

Version No: 5.1

#### UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

Issue Date: **23/12/2022**Print Date: **20/11/2023** 

#### **Additional Regulatory Information**

Not Applicable

#### **National Inventory Status**

Net's and Inventory Status	O. W.
National Inventory	Status
German - GIIC / German	Yes
Non-Industrial Use	165
Canada - DSL	Yes
Canada - NDSL	No (sulfuric acid; water)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Taiwan - TCSI	Yes
Mexico - INSQ	Yes
Vietnam - NCI	Yes
Russia - FBEPH	Yes
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

#### **SECTION 16 Other information**

Revision Date	23/12/2022
Initial Date	03/11/2016

#### **SDS Version Summary**

Version	Date of Update	Sections Updated
4.1	03/09/2020	Classification change due to full database hazard calculation/update.
5.1	23/12/2022	Classification review due to GHS Revision change.

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

#### **Definitions and abbreviations**

- ▶ PC—TWA: Permissible Concentration-Time Weighted Average
- ▶ PC-STEL: Permissible Concentration-Short Term Exposure Limit
- ▶ IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- ▶ STEL: Short Term Exposure Limit
- ► TEEL: Temporary Emergency Exposure Limit。
- ▶ IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- ▶ NOAEL: No Observed Adverse Effect Level
- ▶ LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- ► OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- ▶ BEI: Biological Exposure Index
- ▶ DNEL: Derived No-Effect Level
- ▶ PNEC: Predicted no-effect concentration
- GIIC: German Inventory of Industrial Chemicals
- ▶ DSL: Domestic Substances List
- NDSL: Non-Domestic Substances List
- ▶ IECSC: Inventory of Existing Chemical Substance in China
- EINECS: European Inventory of Existing Commercial chemical Substances
- ELINCS: European List of Notified Chemical Substances
- NLP: No-Longer Polymers
- ► ENCS: Existing and New Chemical Substances Inventory
- KECI: Korea Existing Chemicals Inventory
- NZIoC: New Zealand Inventory of Chemicals
- PICCS: Philippine Inventory of Chemicals and Chemical Substances
- ► TSCA: Toxic Substances Control Act
- ▶ TCSI: Taiwan Chemical Substance Inventory
- INSQ: Inventario Nacional de Sustancias Químicas
- NCI: National Chemical Inventory

Chemwatch: 70-1699 Page 9 of 9

Issue Date: 23/12/2022 Version No: 5.1 Print Date: 20/11/2023 UNIVERSAL Chemical Trading GmbH Chemicals Sulphuric Acid 60%

▶ FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.