

ALUMINIUM SULPHATE SOLID

COMMON NAME	Alum Solid																		
DESCRIPTION	Aluminium Sulphate is a free-flowing white granule that is odourless. The product is an effective flocculant for both drinking water treatment and industrial waste water.																		
TYPICAL SPECIFICATION	<table border="0"> <tr> <td>Aluminium Oxide (%)</td> <td>16 – 17%</td> </tr> <tr> <td>Insoluble (% w/w)</td> <td><0.1</td> </tr> <tr> <td>Arsenic (mg/kg)</td> <td><5</td> </tr> <tr> <td>Chromium (mg/kg)</td> <td><1</td> </tr> <tr> <td>Iron (mg/kg)</td> <td><220</td> </tr> <tr> <td>Lead (mg/kg)</td> <td><1</td> </tr> <tr> <td>Mercury (mg/kg)</td> <td><1</td> </tr> <tr> <td>Titanium (mg/kg)</td> <td><20</td> </tr> <tr> <td>Particle Size Distribution</td> <td>85% less than 1 mm</td> </tr> </table>	Aluminium Oxide (%)	16 – 17%	Insoluble (% w/w)	<0.1	Arsenic (mg/kg)	<5	Chromium (mg/kg)	<1	Iron (mg/kg)	<220	Lead (mg/kg)	<1	Mercury (mg/kg)	<1	Titanium (mg/kg)	<20	Particle Size Distribution	85% less than 1 mm
Aluminium Oxide (%)	16 – 17%																		
Insoluble (% w/w)	<0.1																		
Arsenic (mg/kg)	<5																		
Chromium (mg/kg)	<1																		
Iron (mg/kg)	<220																		
Lead (mg/kg)	<1																		
Mercury (mg/kg)	<1																		
Titanium (mg/kg)	<20																		
Particle Size Distribution	85% less than 1 mm																		
SUPPLY DETAILS	<p>Bulk Bags- 1050 kg each</p> <p>Small Bags- 50 x 20 kg bags per pallet.</p>																		
RECOMMENDED STORAGE	<p>Store bags in a dry area out of direct sunlight.</p> <p>We recommend you do not double stack the bags in storage, as it may cause the product to compact and harden.</p> <p>Please refer to SDS for detailed storage info.</p>																		
SAFETY INFORMATION	Please refer to our current SDS (https://uctr-gmbh.de)																		

For further information, please contact our Sales team
info@uctr-gmbh.de WhatsApp: +49-1521-859-2917

Version: 24.05.21