

ALUMINIUM SULPHATE SOLID

| | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|---|----------------------------|----------|--------------------------|------|------------------------|----|-------------------------|----|---------------------|------|---------------------|----|------------------------|----|-------------------------|-----|-----------------------------------|--------------------|
| COMMON NAME | Alum Solid | | | | | | | | | | | | | | | | | | |
| DESCRIPTION | Aluminium Sulphate is a free-flowing white granule that is odourless. The product is an effective flocculant for both drinking water treatment and industrial waste water. | | | | | | | | | | | | | | | | | | |
| TYPICAL SPECIFICATION | <table border="0"> <tr> <td>Aluminium Oxide (%)</td> <td>16 – 17%</td> </tr> <tr> <td>Insoluble (% w/w)</td> <td><0.1</td> </tr> <tr> <td>Arsenic (mg/kg)</td> <td><5</td> </tr> <tr> <td>Chromium (mg/kg)</td> <td><1</td> </tr> <tr> <td>Iron (mg/kg)</td> <td><220</td> </tr> <tr> <td>Lead (mg/kg)</td> <td><1</td> </tr> <tr> <td>Mercury (mg/kg)</td> <td><1</td> </tr> <tr> <td>Titanium (mg/kg)</td> <td><20</td> </tr> <tr> <td>Particle Size Distribution</td> <td>85% less than 1 mm</td> </tr> </table> | Aluminium Oxide (%) | 16 – 17% | Insoluble (% w/w) | <0.1 | Arsenic (mg/kg) | <5 | Chromium (mg/kg) | <1 | Iron (mg/kg) | <220 | Lead (mg/kg) | <1 | Mercury (mg/kg) | <1 | Titanium (mg/kg) | <20 | Particle Size Distribution | 85% less than 1 mm |
| Aluminium Oxide (%) | 16 – 17% | | | | | | | | | | | | | | | | | | |
| Insoluble (% w/w) | <0.1 | | | | | | | | | | | | | | | | | | |
| Arsenic (mg/kg) | <5 | | | | | | | | | | | | | | | | | | |
| Chromium (mg/kg) | <1 | | | | | | | | | | | | | | | | | | |
| Iron (mg/kg) | <220 | | | | | | | | | | | | | | | | | | |
| Lead (mg/kg) | <1 | | | | | | | | | | | | | | | | | | |
| Mercury (mg/kg) | <1 | | | | | | | | | | | | | | | | | | |
| Titanium (mg/kg) | <20 | | | | | | | | | | | | | | | | | | |
| Particle Size Distribution | 85% less than 1 mm | | | | | | | | | | | | | | | | | | |
| SUPPLY DETAILS | <p>Bulk Bags- 1050 kg each</p> <p>Small Bags- 50 x 20 kg bags per pallet.</p> | | | | | | | | | | | | | | | | | | |
| RECOMMENDED STORAGE | <p>Store bags in a dry area out of direct sunlight.</p> <p>We recommend you do not double stack the bags in storage, as it may cause the product to compact and harden.</p> <p>Please refer to SDS for detailed storage info.</p> | | | | | | | | | | | | | | | | | | |
| SAFETY INFORMATION | Please refer to our current SDS (https://uctr-gmbh.de) | | | | | | | | | | | | | | | | | | |

For further information, please contact our Sales team
info@uctr-gmbh.de WhatsApp: +49-1521-719-3144

Version: 24.05.21